



# Naval Air Station Corpus Christi 2020 Drinking Water Consumer Confidence Report



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

Annual Water Quality Report for the period of January 1 to December 31, 2020.

This Consumer Confidence Report (CCR) is intended to provide you with important information about your drinking water and the efforts made by NAS Corpus Christi and the City of Corpus Christi to provide safe drinking water.

For more information regarding this report contact:

Name: Biji Pandisseril

Title: IEPD

Phone: 361-961-5353

Email: [biji.pandisseril@navy.mil](mailto:biji.pandisseril@navy.mil)

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono (361) 961-5353.

Public Participation Opportunities:

City of Corpus Christi:

Annual Public Meeting

TBD due to COVID-19

<http://news.cctexas.com/>

NAS Corpus Christi:

None scheduled. Call 361-961-5353 for comments or questions.



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## VULNERABLE POPULATIONS

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the Safe Drinking Water Hotline (800-426-4791).

## LEAD IN DRINKING WATER

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## LEAD AND COPPER SAMPLING OF DRINKING WATER

The September 2020 sampling results from the testing of drinking water faucets for lead and copper did not exceed the EPA action levels. Public notices were posted at each sampling location within 30 days of receiving sample results.

Public Works personnel flushed the water lines in the areas of low consumption to improve quality. Twenty (20) samples were taken during the September 2020 event. All results have been forwarded to the TCEQ per the Lead and Copper Drinking Water Rule.

\*An exceedance of the Lead Action Level is not a violation, but a trigger point requiring additional sampling, monitoring and actions currently being carried out by NASCC PWD.



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## NAS CORPUS CHRISTI DRINKING WATER SOURCE

Naval Air Station Corpus Christi's (NAS CC's) drinking water system is a Purchased Surface Water System. NAS CC purchases drinking water from the City of Corpus Christi. The City of Corpus Christi's 2020 CCR data is appended to this CCR. The Texas Commission on Environmental Quality (TCEQ) regulates water quality.

TCEQ Source Water Name: SWP I/C FROM CORPUS CHRISTI - CC FROM TX1780003 CITY OF CORPUS CHRISTI

Type of Water: Surface Water

Location: Nueces County

## INFORMATION ABOUT SOURCE WATER ASSESSMENTS

The TCEQ has completed a Source Water Assessment for all drinking water systems that own their sources. The report describes the susceptibility and types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The system(s) from which we purchase our water received the assessment report. For more information on source water assessments and protection efforts at our system, contact Biji Pandisseril by phone at 361-961-5353, or by email at [biji.pandisseril@navy.mil](mailto:biji.pandisseril@navy.mil).

For more information about your sources of water, please refer to the Source Water Assessment Viewer available at the following URL: <http://www.tceq.texas.gov/gis/swaview>.

Further details about sources and source-water assessments are available in Drinking Water Watch at the following URL: <http://dww2.tceq.texas.gov/DWW/>.



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## SOURCES OF DRINKING WATER

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the Public Works Environmental Office.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.



# 2020 Consumer Confidence Report

## NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

### DEFINITIONS

The following tables contain scientific terms and measures, some of which may require explanation.

|  |  |
|--|--|
| Avg:   | Regulatory compliance with some Maximum Contaminant Levels (MCLs) are based on running annual average of monthly samples.  |
| Action Level or AL                                 | The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.  |
| Level 1 Assessment:                                | A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.  |
| Level 2 Assessment:                                | A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions. |
| Action Level Goal (ALG):                           | The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.  |
| Maximum Contaminant Level or MCL:                  | The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.  |
| Maximum Contaminant Level Goal or MCLG:            | The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.   |
| Maximum residual disinfectant level or MRDL:       | The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.  |
| Maximum residual disinfectant level goal or MRDLG: | The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.   |
| MFL  | million fibers per liter (a measure of asbestos)   |
| na:  | not applicable.  |
| mrem:  | millirems per year (a measure of radiation absorbed by the body)   |
| NTU  | nephelometric turbidity units (a measure of turbidity)   |
| pCi/L  | picocuries per liter (a measure of radioactivity)  |
| ppb:   | micrograms per liter (ug/L) or parts per billion - or one ounce in 7,350,000 gallons of water.   |
| ppm:   | milligrams per liter (mg/L) or parts per million - or one ounce in 7,350 gallons of water.   |
| Treatment Technique or TT:                         | A required process intended to reduce the level of a contaminant in drinking water.  |
| ppt  | parts per trillion, or nanograms per liter (ng/L)  |
| ppq  | parts per quadrillion, or picograms per liter (pg/L)   |



# 2020 Consumer Confidence Report

## NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

### REGULATED CONTAMINANTS DATA

#### Disinfectant Residual Table

|                     | Collection Date | Average Level | Minimum Level | Maximum Level | Maximum Residual Disinfectant Level | Maximum Residual Disinfectant Level Goal | Unit of Measure | Violation (Y/N) | Likely Source of Contamination           |
|---------------------|-----------------|---------------|---------------|---------------|-------------------------------------|--|-----------------|-----------------|--|
| Chloramine Residual | 2020            | 2.6           | 1.4           | 3.8           | 4                                   | 4  | ppm             | N               | Water additive used to control microbes. |

#### Inorganic Contaminants

| Contaminant                    | Collection Date | Highest Level Detected | Range of Levels Detected | Maximum Contaminant Level Goal | Maximum Contaminant Level | Unit of Measure | Violation (Y/N) | Likely Source of Contamination   |
|--------------------------------|-----------------|------------------------|--------------------------|--------------------------------|---------------------------|-----------------|-----------------|--|
| Nitrate [measured as Nitrogen] | 2020            | 0.32                   | 0.32-0.32                | 10                             | 10                        | ppm             | N               | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. |



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## NOTICE OF VIOLATION:

NASCC failed to conduct customer service inspections at two new construction projects prior to providing continuous water service to the new construction per 30 TAC Chapter 290.46(j). The following corrective action was completed to resolve the violation:

- Customer service inspections were conducted at the two newly constructed buildings on 1Apr2021 and 16Apr 2021. Copies of the inspection forms were submitted to the TCEQ.

NASCC failed to conduct inspections of ground and elevated storage tanks in 2020 per 30 TAC Chapter 290.46(m)(1). The tank inspections were scheduled and rescheduled multiple times because of the COVID-19 pandemic. The following corrective action was completed to resolve the violation:

- The ground and elevated potable water tanks were inspected on 19Apr2021. Copies of the inspection forms were provided to the TCEQ.



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## NOTICE OF VIOLATION:

NASCC failed to complete all backflow assembly test and maintenance (BPAT) reports on TCEQ form 20700 or an alternate approved by TCEQ per 30 TAC Chapter 290.44(h)(4)(c). The following corrective actions were completed to resolve the violation:

- The backflow assembly inspector is now using TCEQ form 20700 to document all backflow assembly test and maintenance activities.
- A standard operating procedure was established to ensure that the backflow assembly inspector complies with all federal and state regulations.
- The 2021 BPAT reports were completed on TCEQ form 20700 and copies of these forms were submitted to the TCEQ.



# 2020 Consumer Confidence Report

NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

## REGULATED CONTAMINANTS DATA , CONTINUED

### Lead and Copper (1 year periodicity)

| Contaminant | Date Sampled | Maximum Contaminant Level Goal | Action Level | 90th Percentile | # Sites Over Action Level | Unit of Measure | Violation (Y/N) | Likely Source of Contamination  |
|-------------|--------------|--------------------------------|--------------|-----------------|---------------------------|-----------------|-----------------|---|
| Copper      | 2020         | 1.3                            | 1.3          | 0.034           | 0                         | ppm             | N               | Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems. |
| Lead        | 2020         | 0                              | 15           | <0.001          | 0                         | ppb             | N               | Corrosion of household plumbing systems; Erosion of natural deposits.                                   |

### Total Coliform

| Contaminant             | Year | Maximum Contaminant Level Goal | Total Coliform Maximum Contaminant Level | Highest No. of Positive | Fecal Coliform or <i>E. coli</i> Maximum Contaminant Level  | Violation (Y/N) | Likely Source of Contamination       |
|-------------------------|------|--------------------------------|--|-------------------------|---|-----------------|--------------------------------------|
| Total Coliform Bacteria | 2020 | 0                              | 0  | 0                       | When a routine sample and a repeat sample are total coliform positive, and one is also coliform or <i>E. coli</i> positive. | N               | Naturally present in the environment |

Total coliform bacteria are used as indicators of microbial contamination of drinking water because testing for them is easy. While not disease-causing organisms themselves, they are often found in association with other microbes that are capable of causing disease. Coliform bacteria are hardier than many disease-causing organisms; therefore, their absence from water is a good indication that the water is microbiologically safe for human consumption.



# 2020 Consumer Confidence Report

## NAVAL AIR STATION CORPUS CHRISTI - PWS ID# TX1780017

### REGULATED CONTAMINANTS DATA , CONTINUED

#### Disinfection By-Products

| Contaminant                  | Collection Date | Highest Level Detected | Averaged Range of Levels Detected | Maximum Contaminant Level Goal | Maximum Contaminant Level | Unit of Measure | Violation (Y/N) | Likely Source of Contamination             |
|------------------------------|-----------------|------------------------|-----------------------------------|--------------------------------|---------------------------|-----------------|-----------------|--|
| Haloacetic Acids (HAA5)      | 2020            | 14.2                   | 7.9 – 14.2                        | No goal for the total          | 60                        | ppb             | N               | By-product of drinking water disinfection. |
| Total Trihalomethanes (TTHM) | 2020            | 53.7                   | 37 – 53.7                         | No goal for the total          | 80                        | ppb             | N               | By-product of drinking water disinfection. |

| Contaminant          | Collection Date | Average Level | Minimum Level | Maximum Level | Unit of Measure | Likely Source of Contamination           |
|----------------------|-----------------|---------------|---------------|---------------|-----------------|--|
| Bromoform            | 2020            | 15.1          | 8.2           | 22.7          | ppb             | Byproduct of drinking water disinfection |
| Chloroform           | 2020            | 3.9           | 2.0           | 7.1           | ppb             | Byproduct of drinking water disinfection |
| Bromodichloromethane | 2020            | 10.9          | 8.4           | 14.9          | ppb             | Byproduct of drinking water disinfection |
| Dibromochloromethane | 2020            | 16.3          | 12.3          | 19.5          | ppb             | Byproduct of drinking water disinfection |

Bromoform, chloroform, bromodichloromethane, and dibromochloromethane, are disinfection byproducts. There is no maximum contaminant level for these chemicals at the entry point to distribution.

# City of Corpus Christi 2020 Drinking Water Consumer Confidence Report

NAS CC purchases drinking water from the City of Corpus Christi (Public Water System ID# TX1780003). The following pages provide data for contaminants monitored by the City of Corpus Christi.

# 2020 DRINKING WATER QUALITY REPORT

Our drinking water is regulated by the Texas Commission on Environmental Quality (TCEQ). The information that follows lists all the federally regulated or monitored contaminants which have been found in our drinking water. The data presented in this report is from the most recent testing done in accordance with the regulations.

| INORGANIC CONTAMINANTS |                               |                 |                            |             |          |      |   |
|------------------------|-------------------------------|-----------------|----------------------------|-------------|----------|------|---|
| Year                   | Constituent (Unit of Measure) | Highest Average | Highest Single Measurement | Range       | MCL [AL] | MCLG | Likely Source of Contaminant  |
| 2020                   | Barium (ppm)                  | 0.108           | 0.108                      | 0.104–0.108 | 2        | 2    | Discharge of drilling waste; discharge from metal refineries; erosion of natural deposits                                 |
| 2020                   | Chlorite (ppm)                | 0.53            | 0.55                       | 0.22–0.55   | 1.00     | 0.80 | By-product of drinking water disinfection   |
| 2020                   | Copper (ppm)                  | 0.0021          | 0.0021                     | 0.0–0.0021  | [1.3]    | 1.3  | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives                    |
| 2020                   | Cyanide (ppb)                 | 143             | 190                        | 100–190     | 200      | 200  | Discharge from steel/metal factories; discharge from plastic and fertilizer factories                                     |
| 2020                   | Fluoride (ppm)                | 0.71            | 0.71                       | 0.59–0.71   | 4        | 4    | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 2020                   | Nitrate (ppm)                 | 0.42            | 0.95                       | 0.21–0.95   | 10       | 10   | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits                               |
| 2020                   | Selenium (ppb)                | 4.1             | 4.1                        | 3.6–4.1     | 50       | 50   | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines                          |

| ORGANIC CONTAMINANTS |                               |                 |                            |         |     |      |   |
|----------------------|-------------------------------|-----------------|----------------------------|---------|-----|------|---|
| Year                 | Constituent (Unit of Measure) | Highest Average | Highest Single Measurement | Range   | MCL | MCLG | Likely Source of Contaminant            |
| 2020                 | Atrazine (ppb)                | 0.21            | 0.60                       | 0.0–0.6 | 3   | 3    | Runoff from herbicide used on row crops |
| 2020                 | Metolachlor (ppb)             | 0.3             | 0.3                        | 0.0–0.3 | NA  | NA   | Runoff from herbicide use               |

| DISINFECTION BY-PRODUCTS |                               |                        |           |     |      |   |  |
|--------------------------|-------------------------------|------------------------|-----------|-----|------|---|--|
| Year                     | Constituent (Unit of Measure) | Highest Yearly Average | Range     | MCL | MCLG | Likely Source of Contaminant              |  |
| 2020                     | Total Trihalomethanes (ppb)   | 44.1                   | 22.3–53.9 | 80  | NA   | By-product of drinking water disinfection |  |
| 2020                     | Total Haloacetic Acids (ppb)  | 19.5                   | 9.6–21    | 60  | NA   | By-product of drinking water disinfection |  |

The locational running annual average is a health concern at levels above the MCL. Some people who drink water containing TTHMs in excess of the MCL over many years may experience problems with their liver, kidney, or central nervous systems, and may have an increased risk of getting cancer.

| MAXIMUM RESIDUAL DISINFECTANT LEVEL |                               |                 |           |      |       |   |  |
|-------------------------------------|-------------------------------|-----------------|-----------|------|-------|---|--|
| Year                                | Constituent (Unit of Measure) | Highest Average | Range     | MRDL | MRDLG | Likely Source of Contaminant            |  |
| 2020                                | Chloramines (ppm)             | 3.21            | 1.59–4.32 | 4.0  | 4.0   | Water additive used to control microbes |  |
| 2020                                | Chlorine Dioxide (ppb)        | 20              | 0–30      | 800  | 800   | Water additive used to control microbes |  |

| TOTAL ORGANIC CARBON |                                    |         |           |                    |      |                                      |  |
|----------------------|------------------------------------|---------|-----------|--------------------|------|--------------------------------------|--|
| Year                 | Location (Unit of Measure)         | Average | Range     | Removal Ratio (TT) | MCLG | Likely Source of Contaminant         |  |
| 2020                 | Source Water (ppm)                 | 4.8     | 4.50–5.50 | NA                 | NA   | Naturally present in the environment |  |
| 2020                 | Plant 1 (ppm)                      | 3.3     | 3.24–3.60 | NA                 | NA   | Naturally present in the environment |  |
| 2020                 | Plant 2 (ppm)                      | 3.2     | 3.00–3.38 | NA                 | NA   | Naturally present in the environment |  |
| 2020                 | Plant 1 Removal Ratio (% removal*) | 1.2     | 0.91–1.38 | ≥1.0               | NA   | Naturally present in the environment |  |
| 2020                 | Plant 2 Removal Ratio (% removal*) | 1.3     | 1.11–1.48 | ≥1.0               | NA   | Naturally present in the environment |  |

Total Organic Carbon (TOC) has no health effects. The disinfectant can combine with TOC to form disinfection byproducts. Disinfection is necessary to ensure that water does not have unacceptable levels of pathogens. Byproducts of disinfection include trihalomethanes (THM) and haloacetic acids (HAA5) which are reported elsewhere in this report. \*Removal ratio is the percent of TOC removed by the treatment process divided by the percent of TOC required by TCEQ to be removed.

| TURBIDITY |                            |                            |                                    |                        |                               |                              |  |
|-----------|----------------------------|----------------------------|------------------------------------|------------------------|-------------------------------|------------------------------|--|
| Year      | Location (Unit of Measure) | Highest Single Measurement | Lowest % of Samples Meeting Limits | Entry Point Limit (TT) | Single Measurement Limit (TT) | Likely Source of Contaminant |  |
| 2020      | Plant 1 (NTU)              | 0.18                       | 100                                | ≤0.3                   | 1.0                           | Soil runoff                  |  |
| 2020      | Plant 2 (NTU)              | 0.11                       | 100                                | ≤0.3                   | 1.0                           | Soil runoff                  |  |

Turbidity has no health effects; however, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

| CRYPTOSPORIDIUM MONITORING |                        |                       |                     |      |                              |  |  |
|----------------------------|------------------------|-----------------------|---------------------|------|------------------------------|--|--|
| Year                       | Constituent            | Average Concentration | Unit of Measurement | MCLG | Likely Source of Contaminant |  |  |
| 2019                       | <i>Cryptosporidium</i> | 0.01                  | Total (Oo) cysts/L  | 0    | Human and animal fecal waste |  |  |

*Cryptosporidium* is of great concern in public water systems that treat surface water for drinking water sources. Resistant to disinfectants, *Cryptosporidium* can cause gastrointestinal illness in individuals who consume contaminated water. The Long Term 2 Enhanced Surface Water Treatment Rule (LT2ESWTR) is required by Congress in order to increase protection from microbial contaminants such as *Cryptosporidium*. Under this rule, water systems must conduct monthly source water *Cryptosporidium* sampling over a two year span. The city of Corpus Christi completed sampling in July of 2019.

| MICROBIOLOGICAL CONTAMINANTS |                                   |                                       |                     |     |                                      |  |  |
|------------------------------|-----------------------------------|---------------------------------------|---------------------|-----|--------------------------------------|--|--|
| Year                         | Constituent                       | Highest Monthly % of Positive Samples | Unit of Measurement | MCL | Likely Source of Contaminant         |  |  |
| 2020                         | Total Coliform Bacteria           | 1.43                                  | Presence            | **  | Naturally present in the environment |  |  |
| 2020                         | Fecal Coliform and <i>E. coli</i> | 0                                     | Presence            | *** | Human and animal fecal waste         |  |  |

Total coliform bacteria occur naturally in the environment and are used as an indicator for other, potentially harmful, bacteria that could also be present. \*\*Presence of coliform bacteria in 5% or more of the monthly samples. Fecal Coliform bacteria, in particular, *E. coli*, are members of the coliform bacteria group originating in the intestinal tract of warm-blooded animals and are passed into the environment through feces. The presence of fecal coliform bacteria (*E. coli*) in drinking water may indicate recent contamination of the drinking water with fecal material. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, and other symptoms. They may pose a special health risk for infants, young children, elderly, and people with severely compromised immune systems. \*\*\*A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform or *E. coli* positive.

| LEAD AND COPPER MONITORING RULE |                               |                 |                              |     |  |  |  |
|---------------------------------|-------------------------------|-----------------|------------------------------|-----|--|--|--|
| Year                            | Constituent (Unit of Measure) | 90th Percentile | Number of Sites Exceeding AL | AL  | Likely Source of Contaminant   |  |  |
| 2020                            | Lead (ppb)                    | 2.4             | 0                            | 15  | Corrosion of household plumbing systems; erosion of natural deposits                                   |  |  |
| 2020                            | Copper (ppm)                  | 0.051           | 0                            | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |  |  |

| RADIOACTIVE CONTAMINANTS |                                      |                            |       |     |      |  |  |
|--------------------------|--------------------------------------|----------------------------|-------|-----|------|--|--|
| Year                     | Constituent (Unit of Measure)        | Highest Single Measurement | Range | MCL | MCLG | Likely Source of Contaminant           |  |
| 2020                     | Gross Beta Particle Activity (pCi/L) | 7.0                        | NA    | 50  | 0    | Decay of natural and man-made deposits |  |

| UNREGULATED CONTAMINANTS |                               |                 |          |     |      |   |  |
|--------------------------|-------------------------------|-----------------|----------|-----|------|---|--|
| Year                     | Constituent (Unit of Measure) | Highest Average | Range    | MCL | MCLG | Likely Source of Contaminant              |  |
| 2020                     | Bromodichloromethane (ppb)    | 11.9            | 6.3–17.0 | NA  | NA   | By-product of drinking water disinfection |  |
| 2020                     | Bromoform (ppb)               | 13.4            | 2.5–18.9 | NA  | NA   | By-product of drinking water disinfection |  |
| 2020                     | Chloroform (ppb)              | 5.1             | 1.9–9.4  | NA  | NA   | By-product of drinking water disinfection |  |
| 2020                     | Dibromochloromethane (ppb)    | 16.1            | 6.3–20.6 | NA  | NA   | By-product of drinking water disinfection |  |

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

| UNREGULATED CONTAMINANT MONITORING RULE 4 (UCMR4) |                                |         |           |     |   |  |  |
|---|--------------------------------|---------|-----------|-----|---|--|--|
| Year  | Constituent (Unit of Measure)  | Average | Range     | MRL | Likely Source of Contaminant              |  |  |
| 2018  | Bromochloroacetic Acid (ppb)   | 13.2    | 6.0–16.0  | NA  | By-product of drinking water disinfection |  |  |
| 2018  | Bromodichloroacetic Acid (ppb) | 2.2     | 1.4–2.9   | NA  | By-product of drinking water disinfection |  |  |
| 2018  | Chlorodibromoacetic Acid (ppb) | 1.2     | 0.3–1.9   | NA  | By-product of drinking water disinfection |  |  |
| 2018  | Dibromoacetic Acid (ppb)       | 12.9    | 5.5–20.7  | NA  | By-product of drinking water disinfection |  |  |
| 2018  | Dichloroacetic Acid (ppb)      | 25.7    | 15.6–28.8 | NA  | By-product of drinking water disinfection |  |  |
| 2018  | HAA5 (ppb)                     | 25.7    | 15.6–28.8 | NA  | By-product of drinking water disinfection |  |  |
| 2018  | HAA6Br (ppb)                   | 27.2    | 9.0–35.5  | NA  | By-product of drinking water disinfection |  |  |
| 2018  | HAA9 (ppb)                     | 42.4    | 24.7–49.4 | NA  | By-product of drinking water disinfection |  |  |
| 2018  | Manganese (ppb)                | 0.7     | 0.0–1.3   | 0.4 | Naturally occurring element               |  |  |
| 2018  | Monobromoacetic Acid (ppb)     | 1.0     | 0.0–1.4   | NA  | By-product of drinking water disinfection |  |  |
| 2018  | Trichloroacetic Acid (ppb)     | 2.3     | 1.1–4.0   | NA  | By-product of drinking water disinfection |  |  |

| SECONDARY AND OTHER CONSTITUENTS - NOT ASSOCIATED WITH ADVERSE HEALTH EFFECTS |                                     |                 |               |       |  |  |  |
|---|-------------------------------------|-----------------|---------------|-------|--|--|--|
| Year  | Constituent (Unit of Measure)       | Highest Average | Range         | SMCL  | Likely Source of Contaminant                                     |  |  |
| 2020  | Aluminum (ppm)                      | 0.217           | 0.131–0.217   | 0.2   | Abundant naturally occurring element                             |  |  |
| 2020  | Bicarbonate (ppm)                   | 178             | 166–178       | NA    | Corrosion of carbonate rocks such as limestone                   |  |  |
| 2020  | Calcium (ppm)                       | 71              | 55–72         | NA    | Abundant naturally occurring element                             |  |  |
| 2020  | Chloride (ppm)                      | 140             | 108–166       | 300   | Abundant naturally occurring element; used in water purification |  |  |
| 2020  | Hardness as CaCO <sub>3</sub> (ppm) | 234             | 102–252       | NA    | Naturally occurring calcium and magnesium                        |  |  |
| 2020  | Magnesium (ppm)                     | 12.4            | 9.7–12.4      | NA    | Abundant naturally occurring element                             |  |  |
| 2020  | Nickel (ppm)                        | 0.0022          | 0.0017–0.0022 | NA    | Erosion of natural deposits                                      |  |  |
| 2020  | Potassium (ppm)                     | 7.77            | 6.92–7.77     | NA    | Abundant naturally occurring element                             |  |  |
| 2020  | Sodium (ppm)                        | 115             | 57–115        | NA    | Erosion of natural deposits; oil field by-product                |  |  |
| 2020  | Sulfate (ppm)                       | 87              | 69–97         | 300   | Naturally occurring; oil field by-product                        |  |  |
| 2020  | Total Alkalinity (ppm)              | 150             | 121–153       | NA    | Naturally occurring soluble mineral salts                        |  |  |
| 2020  | Total Dissolved Solids (ppm)        | 540             | 469–764       | 1,000 | Total dissolved mineral constituents in water                    |  |  |

Many constituents found in drinking water can cause taste, color, and odor problems. These constituents are not causes for health concern. Therefore, secondaries are not required to be reported in this document, but they may affect the appearance and taste of your water.